











CCTV





SPECIFICATION

STRUCTURE RCC FRAMED STRUCTURE.

SUPER STRUCTURE 9"THICK MAIN WALLS AND 4.5" THICK RED BRICK FOR PARTITION WALLS.

FLOORING & WALL DADOING

LIVING & BEDROOMS 2'X2' VERTIFIED JOINT FREE ANTI-STRAIN TILE FLOORING.

STAIRCASE AND LOBBY GRANITE / ANTI SKID TILES.

TOILET 7' HEIGHT WALL DADO WITH ANTI SKID FLOORING.

KITCHEN BLACK GRANITE COUNTER WITH STAINLESS STEEL SINK, WALL DADO TILES

ABOVE PLATFORM UP TO 4' FEET.

DOORS

MAIN TEAK WOOD DOOR.

ALL OTHER ROOMS TEAK WOOD FRAME WITH FLUSH DOOR.

WINDOWS UPVC FRAME WITH GLAZED SHUTTER.

PLUMBING CPVC PIPE FOR WATER SUPPLY AND PVC PIPE FOR WASTE LINES.

FITTING

SANITARY FITTING PARRYWARE OR ITS EQUIVALENT.

CP FITTING WATERMAN OR ITS EQUIVALENT.

ELECTRICAL EB MAIN 3 PHASE SUPPLY WITH CONCEALED WIRING AND MODULAR

SWITCHES BY LEGRAND.

COMMUNICATION TV POINT & TELEPHONE POINTS IN LIVING ROOM.

PAINTINGS

INTERIOR WALL ASIAN TRACTOR EMULSION & WALL PUTTY (EACH 2 COATS).


EXTERIOR WALL ASIAN ACE EMULSION.

OTHER DOORS SYNTHETIC ENAMEL PAINTS (2 COATS).

FEATURES

CC PARKING, WELL, BORE WELL, OVER HEAD TANK, UG WATER SUMP, INVERTOR LINE, OPEN TERRACE.





90,






40'

FLAT NO	TYPE	AREA	UDS
F1/S1/T1	2 BHK	950 SQFT	420 SQFT
F2/S2/T2	2 BHK	860 SQFT	380 SQFT









Contact no 7871001551